Paper Dated: November 17, 2006

In Reply to USPTO Correspondence of July 27, 2006

Attorney Docket No. 3135-020112

Response Under 37 CFR 1.116
Expedited Procedure
Examining Group 2100

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application. Please amend claims 8 and 14, and add new claims 15 and 16 as follows:

Listing of Claims

Claims 1-7 (Cancelled)

- 8. (Currently Amended) A method of identifying and registering persons based on pre-existing identification data, in particular for Internet applications, comprising the processing steps of:
- a) defining a URL/domain name system in accordance with a <u>pre-existing</u> structure and <u>pre-existing identification data</u>, from a defined <u>discrete</u> system of <u>pre-existing</u> identification data apart from the Internet stored in at least one database,
- b) formulating URL/domain name notation rules in accordance with the defined system of pre-existing identification data, and
- c) designating codes and the associated URLs/domain names on the basis of the defined system of pre-existing identification data and in accordance with the formulated URL/domain name notation rules, and implementing at least a part of the URLs/domain names in the Internet.
- 9. (Previously Presented) The method as claimed in claim 8, wherein the method also comprises the processing steps of:
 - d) registering data of persons,
 - e) creating a data carrier on the basis of the registered data, and
 - f) linking the data carrier to a specific URL/domain name.
- 10. (Previously Presented) The method as claimed in claim 9, wherein the method further comprises the processing step of:
 - g) making specific URLs/domain names accessible to the public.

Application No. 10/031,883

Paper Dated: November 17, 2006

In Reply to USPTO Correspondence of July 27, 2006

Attorney Docket No. 3135-020112

Response Under 37 CFR 1.116 Expedited Procedure Examining Group 2100

11. (Previously Presented) The method as claimed in claim 9, wherein the method further comprises the processing step of:

- h) providing services by means of a data carrier.
- 12. (Previously Presented) The method as claimed in claim 9, wherein the method further comprises the processing steps of:
 - i) incorporating registered data of persons in data files,
 - j) incorporating the data files in a search system, and
- k) providing an interface with search options for generating results on request as a response to a query.
- 13. (Previously Presented) The method as claimed in claim 8, wherein the method is applied within specific Top Level Domains and/or Sub Level Domains.
- 14. (Currently Amended) An assembly of hardware and software for identifying and registering persons based on pre-existing identification data, in particular for Internet applications, comprising the processing steps of:
- a) defining a URL/domain name system in accordance with a <u>pre-existing</u> structure and <u>pre-existing identification data</u>, from a <u>defined discrete</u> system of <u>pre-existing identification data apart from the Internet</u> stored in at least one database.[-]
- b) formulating URL/domain name notation rules in accordance with the defined system of pre-existing identification data, and
- c) designating codes and the associated URLs/domain names on the basis of the defined system of pre-existing identification data and in accordance with the formulated URL/domain name notation rules, and implementing at least a part of the URLs/domain names in the Internet, the assembly comprising:

In Reply to USPTO Correspondence of July 27, 2006

Attorney Docket No. 3135-020112

a network of servers for designating and making available the URLs/domain names,

at least one database coupled to the network of servers and having registered data of persons of URLs/domain names, and

hardware and software for inputting, localizing and presenting the registered data.

15. (Previously Presented)

The method as claimed in claim

8, wherein the structure is one of:

a host, a sub-level domain, and a top-level domain with dots;

a host, a sub-level domain, and a top-level domain with dashes; and

a host, a sub-level domain, and a top-level domain followed by a separator character and after which is placed a country code, area code or telephone number of the subscriber to be visited.

16. (Previously Presented)

The method as claimed in claim

14, wherein the structure is one of:

a host, a sub-level domain, and a top-level domain with dots;

a host, a sub-level domain, and a top-level domain with dashes; and

a host, a sub-level domain, and a top-level domain followed by a separator character and after which is placed a country code, area code or telephone number of the subscriber to be visited.